



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((message<in>ti) <and> (queue<in>ti))<and> (client<in>metadata ..."

Your search matched 2 of 1428539 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

e-mail printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. **XML based message queuing**
 Ye, L.; Luo, Y.; Nagata, M.;
[Systems, Man, and Cybernetics, 2000 IEEE International Conference on](#)
 Volume 3, 8-11 Oct. 2000 Page(s):2034 - 2039 vol.3
 Digital Object Identifier 10.1109/ICSMC.2000.886414
[AbstractPlus](#) | Full Text: [PDF\(460 KB\)](#) . IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Performance analysis of distributed client-server message queuing**
 Zimran, E.; Rosen, M.;
[Parallel and Distributed Systems, 1994. International Conference on](#)
 19-21 Dec. 1994 Page(s):550 - 555
 Digital Object Identifier 10.1109/ICPADS.1994.590372
[AbstractPlus](#) | Full Text: [PDF\(508 KB\)](#) . IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE - All Rights Reserved



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((message<in>ti) <and> (queue<in>ti))"

Your search matched 12 of 1428539 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☐ e-mail printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

☒ view selected items [Select All](#) [Deselect All](#)

- ☐ 1. **Multiserver Queue Storage Requirements With Unpacked Messages**
Pedersen, R.; Shah, J.;
[Communications, IEEE Transactions on \[legacy, pre - 1988\]](#)
Volume 20, Issue 3, Part 2, Jun 1972 Page(s):462 - 465
[AbstractPlus](#) | Full Text: [PDF](#)(392 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **The Behavior of a Finite Queue with Batch Poisson Inputs Resulting from Message Packetization and a Synchronous Server**
Jin-Fu Chang; Rong-Feng Chang;
[Communications, IEEE Transactions on \[legacy, pre - 1988\]](#)
Volume 32, Issue 12, Dec 1984 Page(s):1277 - 1285
[AbstractPlus](#) | Full Text: [PDF](#)(776 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Message delay and queue-size analysis for circuit-switched TDMA systems**
Rubin, I.; Zhang, Z.;
[Communications, IEEE Transactions on](#)
Volume 39, Issue 6, June 1991 Page(s):905 - 914
Digital Object Identifier 10.1109/26.87180
[AbstractPlus](#) | Full Text: [PDF](#)(756 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **A declarative control language for dependable XML message queues**
Bohm, A.; Kanne, C.-C.; Moerkotte, G.;
[Availability, Reliability and Security, 2006. ARES 2006. The First International Conference on 20-22 April 2006](#) Page(s):8 pp.
Digital Object Identifier 10.1109/ARES.2006.4
[AbstractPlus](#) | Full Text: [PDF](#)(248 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **The impact of MPI queue usage on message latency**
Underwood, K.D.; Brightwell, R.;
[Parallel Processing, 2004. ICPP 2004. International Conference on 2004](#) Page(s):152 - 160 vol.1
Digital Object Identifier 10.1109/ICPP.2004.1327915
[AbstractPlus](#) | Full Text: [PDF](#)(320 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 6. **MQML-Message Queuing Markup Language**
Min-Hua Shi; De-Ren Chen; Liang-Jie Zhang; Rong-Guo Wang;

Advanced Issues of E-Commerce and Web-Based Information Systems, 2002. (WECWIS 2002). Proceedings. Fourth IEEE International Workshop on
26-28 June 2002 Page(s):17 - 24
Digital Object Identifier 10.1109/WECWIS.2002.1021237
[AbstractPlus](#) | Full Text: [PDF\(490 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **7. XML based message queuing**
Ye, L.; Luo, Y.; Nagata, M.;
Systems, Man, and Cybernetics, 2000 IEEE International Conference on
Volume 3, 8-11 Oct. 2000 Page(s):2034 - 2039 vol.3
Digital Object Identifier 10.1109/ICSMC.2000.886414
[AbstractPlus](#) | Full Text: [PDF\(460 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **8. The distribution of delays of dispersed messages in an M/M/1 queue**
Altman, E.; Jean-Marie, A.;
INFOCOM '95. Fourteenth Annual Joint Conference of the IEEE Computer and Communications
Societies. Bringing Information to People. Proceedings. IEEE
2-6 April 1995 Page(s):338 - 344 vol.1
Digital Object Identifier 10.1109/INFCOM.1995.515893
[AbstractPlus](#) | Full Text: [PDF\(308 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **9. The effect of message-class dependent threshold-type scheduling on the delay for the M/M/n queue**
Sasase, I.; Nishio, Y.; Nakamura, H.;
Communications, 1992. ICC 92, Conference record, SUPERCOMM/ICC '92, Discovering a New
World of Communications. IEEE International Conference on
14-18 June 1992 Page(s):506 - 510 vol.1
Digital Object Identifier 10.1109/ICC.1992.268079
[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **10. Performance analysis of distributed client-server message queuing**
Zimran, E.; Rosen, M.;
Parallel and Distributed Systems, 1994. International Conference on
19-21 Dec. 1994 Page(s):550 - 555
Digital Object Identifier 10.1109/ICPADS.1994.590372
[AbstractPlus](#) | Full Text: [PDF\(508 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **11. Queue length and delay for statistical multiplexers with variable-length messages**
Wittevrongel, S.; Bruneel, H.;
Global Telecommunications Conference, 1994. GLOBECOM '94. 'Communications: The Global
Bridge'. IEEE
Volume 2, 28 Nov.-2 Dec. 1994 Page(s):1080 - 1084 vol.2
Digital Object Identifier 10.1109/GLOCOM.1994.512824
[AbstractPlus](#) | Full Text: [PDF\(412 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **12. The loss process of messages in an M/M/1/K queue**
Altman, E.; Jean-Marie, A.;
INFOCOM '94. Networking for Global Communications. 13th Proceedings IEEE
12-16 June 1994 Page(s):1191 - 1198 vol.3
Digital Object Identifier 10.1109/INFCOM.1994.337571
[AbstractPlus](#) | Full Text: [PDF\(452 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Go to Google Home](#) [Advanced Search](#)
[Preferences](#)The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 651 for **federated and message and queue and "queue manager"**. (0.34 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

Feature Summary

Full inbound and outbound duplicate **message** detection. **Messages** are never delivered ...**Federated** router network. Address any **queue**/topic network wide. ...www.swiftmq.com/products/features/index.html - 37k - [Cached](#) - [Similar pages](#)

Introduction

If a **message** is published under a topic, the virtual topic **queue** (which actually ... All Topic Manager Swiftlets in a router network are working **federated**. ...www.swiftmq.com/products/router/swiftlets/sys_topicmanager/introduction/index.html - 9k - [Cached](#) - [Similar pages](#)

Installing and using the DB2 WebSphere MQ functions

If you choose not to use the DB2 default **queue manager** and **queue**, create the **message queues** and WebSphere MQ objects by using the WebSphere MQ script ...publib.boulder.ibm.com/.../com.ibm.websphere.ii.db2udb.foundation.appdev.fed.mq.doc/installing/tiimqins.html - 18k -[Cached](#) - [Similar pages](#)

Installing DB2 WebSphere MQ functions

update dbm cfg using **federated** yes; Enable the DB2 UDB MQ Functions (see Step 1 ... If you leave the **Queue Manager** blank in the service point, WebSphere MQ ...publib.boulder.ibm.com/infocenter/db2luw/v8/topic/com.ibm.db2.ii.doc/ad/tiimqins.htm - 12k[- Cached](#) - [Similar pages](#)[\[More results from publib.boulder.ibm.com \]](#)

MQUpdate

The Java toolkit for WebSphere MQ - **message** cloner utility ... WebSphere MQ Extended Security Edition. Prevent **queues** from jamming your **queue manager** ...www.xephon.com/journals/home/MQ - 63k - [Cached](#) - [Similar pages](#)

Quick start for Q replication to Oracle and Sybase

Message channels between the source and target. Procedure. To create channels between the source and target:. Ensure that the **queue manager** for the source ...www.ibm.com/developerworks/db2/library/techarticle/dm-0505burner/index.html - 98k -[Cached](#) - [Similar pages](#)

The Federation - Database Interoperability, the Adventure ...

Please wait: starting the **queue manager** (DB2MQ_DEFAULT_MQM) ... (0) db2mq UDFs were found -- Create MQ ... Contents of the XML **message** shows **federated** data ...www.ibm.com/developerworks/db2/library/techarticle/0307lurie/0307lurie.html - 76k -[Cached](#) - [Similar pages](#)[\[More results from www.ibm.com \]](#)

The rise of messaging middleware; the decline of DOLTP

The essence of messaging middleware lies in putting **messages** on **queues**. ... System A's **queue manager** then opens up (immediately or later) an automated ...www.middlewarespectra.com/abstracts/8_94_01.htm - 16k - [Cached](#) - [Similar pages](#)

IBM WebSphere Advisor :: Enterprise Messaging Using JMS and IBM ...

For JMS clients sending **messages** via a gateway **queue manager** to a WebSphere ... The WebSphere namespace is **federated** and can thus be shared among a number ...

zones.advisor.com/doc/13825 - [Similar pages](#)

Citations: [Exotica/FMQM: A Persistent Message-Based Architecture ...](#)

Federated database systems [47] TP monitors [26, 45] persistent queuing [6, 43], ... is followed by EXOTICA FMQM, FlowMark on **Message Queue Manager** [6]. ...

[citeseer.ist.psu.edu/context/259657/52282](#) - 20k - [Cached](#) - [Similar pages](#)

Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((message<in>ti) <and>queue)<and>api"

Your search matched 34 of 1428539 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

 e-mail
  printer friendly

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

 
☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract
[view selected items](#) [Select All](#) [Deselect All](#)
1-25 | [26-34](#)

- ☐ 1. **The Behavior of a Finite Queue with Batch Poisson Inputs Resulting from Message Packetization and a Synchronous Server**
Jin-Fu Chang; Rong-Feng Chang;
[Communications, IEEE Transactions on \[legacy, pre - 1988\]](#)
Volume 32, Issue 12, Dec 1984 Page(s):1277 - 1285
[AbstractPlus](#) | Full Text: [PDF\(776 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **iSMS: an integration platform for short message service and IP networks**
Chung-Hwa Rao, H.; Di-Fa Chang; Yi-Bing Lin;
[Network, IEEE](#)
Volume 15, Issue 2, March-April 2001 Page(s):48 - 55
Digital Object Identifier 10.1109/65.912720
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(120 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Control integration through message-passing in a software development environment**
Brown, A.W.;
[Software Engineering Journal](#)
Volume 8, Issue 3, May 1993 Page(s):121 - 131
[AbstractPlus](#) | Full Text: [PDF\(1088 KB\)](#) IEE JNL
- ☐ 4. **Analysis of the Message Waiting Time for the FioranoMQ JMS Server**
Menth, M.; Henjes, R.;
[Distributed Computing Systems, 2006. ICDCS 2006. 26th IEEE International Conference on](#)
04-07 July 2006 Page(s):1 - 1
Digital Object Identifier 10.1109/ICDCS.2006.16
[AbstractPlus](#) | Full Text: [PDF\(424 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Design and evaluation of dynamic key message algorithms for cluster computing**
Yang Wang; Ming Zhu; Zhuang Guo; Meng Ding;
[High-Performance Computing in Asia-Pacific Region, 2005. Proceedings. Eighth International Conference on](#)
30 Nov.-3 Dec. 2005 Page(s):8 pp.
Digital Object Identifier 10.1109/HPCASIA.2005.31
[AbstractPlus](#) | Full Text: [PDF\(416 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 6. **MONEA: message-oriented networked-robot architecture**
Nakano, T.; Fujie, S.; Kobayashi, T.;

Robotics and Automation, 2006. ICRA 2006. Proceedings 2006 IEEE International Conference on

May 15-19, 2006 Page(s):194 - 199

[AbstractPlus](#) | Full Text: [PDF\(285 KB\)](#) IEEE CNF

[Rights and Permissions](#)

7. **Message Reordering for the Reuse of CAN-based Legacy Applications in a Time-Triggered Architecture**
Obermaisser, R.;
Real-Time and Embedded Technology and Applications Symposium, 2006. Proceedings of the 12th IEEE
04-07 April 2006 Page(s):301 - 310
Digital Object Identifier 10.1109/RTAS.2006.28
[AbstractPlus](#) | Full Text: [PDF\(352 KB\)](#) IEEE CNF
[Rights and Permissions](#)
8. **Using active messages to explore high performance in clusters of computers**
Peranconi, D.S.; Cavalheiro, H.G.G.;
Chilean Computer Science Society, 2005. SCCC 2005. 25th International Conference of the
7-11 Nov. 2005 Page(s):8 pp.
Digital Object Identifier 10.1109/SCCC.2005.1587871
[AbstractPlus](#) | Full Text: [PDF\(296 KB\)](#) IEEE CNF
[Rights and Permissions](#)
9. **MPICH-V2: a Fault Tolerant MPI for Volatile Nodes based on Pessimistic Sender Based Message Logging**
Bouteiller, B.; Cappello, F.; Herault, T.; Krawezik, K.; Lemarinier, P.; Magniette, M.;
Supercomputing, 2003 ACM/IEEE Conference
15-21 Nov. 2003 Page(s):25 - 25
Digital Object Identifier 10.1109/SC.2003.10027
[AbstractPlus](#) | Full Text: [PDF\(528 KB\)](#) IEEE CNF
[Rights and Permissions](#)
10. **The Proteus Multiprotocol Message Library**
Chiu, K.; Govindaraju, M.; Gannon, D.;
Supercomputing, ACM/IEEE 2002 Conference
16-22 Nov. 2002 Page(s):30 - 30
Digital Object Identifier 10.1109/SC.2002.10050
[AbstractPlus](#) | Full Text: [PDF\(160 KB\)](#) IEEE CNF
[Rights and Permissions](#)
11. **MPI-2 Implementation on Fujitsu generic message passing kernel**
Asai, N.; Kentemich, T.; Lagier, P.;
Supercomputing, ACM/IEEE 1999 Conference
13-18 Nov. 1999 Page(s):18 - 18
Digital Object Identifier 10.1109/SC.1999.10007
[AbstractPlus](#) | Full Text: [PDF\(312 KB\)](#) IEEE CNF
[Rights and Permissions](#)
12. **Design and Implementation of FMPL, a Fast Message-Passing Library for Remote Memory Operations**
Tatebe, O.; Nagashima, U.; Sekiguchi, S.; Kitabayashi, H.; Hayashida, Y.;
Supercomputing, ACM/IEEE 2001 Conference
10-16 Nov. 2001 Page(s):50 - 50
Digital Object Identifier 10.1109/SC.2001.10005
[AbstractPlus](#) | Full Text: [PDF\(216 KB\)](#) IEEE CNF
[Rights and Permissions](#)
13. **BIP-SMP : High Performance Message Passing over a Cluster of Commodity SMPs**
Geoffray, P.; Prylli, L.; Tourancheau, B.;
Supercomputing, ACM/IEEE 1999 Conference
13-18 Nov. 1999 Page(s):20 - 20
Digital Object Identifier 10.1109/SC.1999.10023

[AbstractPlus](#) | Full Text: [PDF\(216 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ 14. **MPICH-GQ: Quality-of-Service for Message Passing Programs**
Roy, A.; Foster, I.; Gropp, W.; Karonis, N.; Sander, V.; Toonen, B.;
[Supercomputing, ACM/IEEE 2000 Conference](#)
04-10 Nov. 2000 Page(s):19 - 19
Digital Object Identifier 10.1109/SC.2000.10017
[AbstractPlus](#) | Full Text: [PDF\(160 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ 15. **An Optimized Message-Oriented Middleware Solution for Extending Enterprise Services to the Mobile Domain**
Paakkonen, P.; Pakkala, D.; Sihvonen, M.;
[Autonomic and Autonomous Systems and International Conference on Networking and Services, 2005. ICAS-ICNS 2005. Joint International Conference on](#)
23-28 Oct. 2005 Page(s):23 - 23
Digital Object Identifier 10.1109/ICAS-ICNS.2005.21
[AbstractPlus](#) | Full Text: [PDF\(112 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ 16. **A Linux-based implementation of a middleware model supporting time-triggered message-triggered objects**
Jenks, S.F.; Kim, K.; Henrich, E.; Li, Y.; Zheng, L.; Kim, M.H.; Kyung Hee Lee; Dong-Myung Seol; Hee-Yong Youn;
[Object-Oriented Real-Time Distributed Computing, 2005. ISORC 2005. Eighth IEEE International Symposium on](#)
18-20 May 2005 Page(s):350 - 358
Digital Object Identifier 10.1109/ISORC.2005.2
[AbstractPlus](#) | Full Text: [PDF\(392 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ 17. **Flexible hardware/software support for message passing on a distributed shared memory architecture**
Francesco, P.; Antonio, P.; Marchal, P.;
[Design, Automation and Test in Europe, 2005. Proceedings](#)
2005 Page(s):736 - 741 Vol. 2
Digital Object Identifier 10.1109/DATE.2005.156
[AbstractPlus](#) | Full Text: [PDF\(296 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ 18. **The impact of MPI queue usage on message latency**
Underwood, K.D.; Brightwell, R.;
[Parallel Processing, 2004. ICPP 2004. International Conference on](#)
2004 Page(s):152 - 160 vol.1
Digital Object Identifier 10.1109/ICPP.2004.1327915
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ 19. **Analyzing power consumption of message passing primitives in a single-chip multiprocessor**
Loghi, M.; Benini, L.; Poncino, M.;
[Computer Design: VLSI in Computers and Processors, 2004. ICCD 2004. Proceedings. IEEE International Conference on](#)
11-13 Oct. 2004 Page(s):393 - 396
Digital Object Identifier 10.1109/ICCD.2004.1347952
[AbstractPlus](#) | Full Text: [PDF\(285 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ 20. **Efficient and scalable barrier over Quadrics and Myrinet with a new NIC-based collective message passing protocol**
Yu, W.; Buntinas, D.; Graham, R.L.; Panda, D.K.;
[Parallel and Distributed Processing Symposium, 2004. Proceedings. 18th International](#)

26-30 April 2004 Page(s):182
Digital Object Identifier 10.1109/IPDPS.2004.1303191
[AbstractPlus](#) | Full Text: [PDF](#)(1404 KB) IEEE CNF
[Rights and Permissions](#)

☐ **21. The implementation of the work management contract and the message inflow contract in the java connector architecture 1.5**

Beom-Su Seo; SeungWoog Jung; SungHoon Kim; Joong-Bae Kim;
[Advanced Communication Technology, 2004. The 6th International Conference on](#)
Volume 2, 2004 Page(s):997 - 1002
Digital Object Identifier 10.1109/ICACT.2004.1293017
[AbstractPlus](#) | Full Text: [PDF](#)(477 KB) IEEE CNF
[Rights and Permissions](#)

☐ **22. Portable smart messages for ubiquitous Java-enabled devices**

Nishkam Ravi; Borcea, C.; Kang, P.; Iftode, L.;
[Mobile and Ubiquitous Systems: Networking and Services, 2004. MOBIQUITOUS 2004. The First Annual International Conference on](#)
22-26 Aug. 2004 Page(s):412 - 421
Digital Object Identifier 10.1109/MOBQ.2004.1331748
[AbstractPlus](#) | Full Text: [PDF](#)(322 KB) IEEE CNF
[Rights and Permissions](#)

☐ **23. FJM: a high performance Java message library**

Tsun-Yu Hsiao; Ming-chun Cheng; Hsin-Ta Chiao; Shyan-Ming Yuan;
[Cluster Computing, 2003. Proceedings. 2003 IEEE International Conference on](#)
2003 Page(s):460 - 463
Digital Object Identifier 10.1109/CLUSTR.2003.1253349
[AbstractPlus](#) | Full Text: [PDF](#)(223 KB) IEEE CNF
[Rights and Permissions](#)

☐ **24. MOM-G: message-oriented middleware on grid environment based on OGSA**

Tang Jianquan; Tong Weiqing; Ding Jingbo; Cai Lizhi;
[Computer Networks and Mobile Computing, 2003. ICCNMC 2003. 2003 International Conference on](#)
20-23 Oct. 2003 Page(s):424 - 427
[AbstractPlus](#) | Full Text: [PDF](#)(229 KB) IEEE CNF
[Rights and Permissions](#)

☐ **25. A JMS Message Transport Protocol for the JADE platform**

Curry, E.; Chambers, D.; Lyons, G.;
[Intelligent Agent Technology, 2003. IAT 2003. IEEE/WIC International Conference on](#)
13-16 Oct. 2003 Page(s):596 - 600
[AbstractPlus](#) | Full Text: [PDF](#)(410 KB) IEEE CNF
[Rights and Permissions](#)

1-25 | [26-34](#)

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((message<in>ti) <and>queue)<and>api"

Your search matched **34** of **1428539** documents.

A maximum of **34** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

 e-mail  printer friendly

» Search Options

[View Session History](#)

New Search

Modify Search

Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» **Key**

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference
Proceeding

IEE CNF IEE Conference
Proceeding

IEEE STD IEEE Standard

[view selected items](#)

Select All **Deselect All**

1-25 | 26-34

26. **Self-routing in pervasive computing environments using smart messages**
Borcea, C.; Intanagonwiwat, C.; Saxena, A.; Iftode, L.;
Pervasive Computing and Communications, 2003. (PerCom 2003). Proceedings of the First IEEE International Conference on
23-26 March 2003 Page(s):87 - 96
[AbstractPlus](#) | Full Text: [PDF\(328 KB\)](#) IEEE CNF
[Rights and Permissions](#)
27. **Behavior and performance of message-oriented middleware systems**
Tran, P.; Greenfield, P.; Gorton, I.;
Distributed Computing Systems Workshops, 2002. Proceedings. 22nd International Conference on
2-5 July 2002 Page(s):645 - 650
Digital Object Identifier 10.1109/ICDCSW.2002.1030842
[AbstractPlus](#) | Full Text: [PDF\(278 KB\)](#) IEEE CNF
[Rights and Permissions](#)
28. **JMPI: implementing the message passing standard in Java**
Morin, S.; Koren, I.; Krishna, C.M.;
Parallel and Distributed Processing Symposium., Proceedings International, IPDPS 2002, Abstracts and CD-ROM
15-19 April 2002 Page(s):118 - 123
[AbstractPlus](#) | Full Text: [PDF\(329 KB\)](#) IEEE CNF
[Rights and Permissions](#)
29. **Low-latency message passing on workstation clusters using SCRAMNet**
Moorthy, V.; Jacunski, M.G.; Pillai, M.; Ware, P.P.; Panda, D.K.; Page, T.W., Jr.; Sadayappan, P.; Nagarajan, V.; Daniel, J.;
Parallel and Distributed Processing, 1999. 13th International and 10th Symposium on Parallel and Distributed Processing, 1999. 1999 IPPS/SPDP. Proceedings
12-16 April 1999 Page(s):148 - 152
Digital Object Identifier 10.1109/IPPS.1999.760450
[AbstractPlus](#) | Full Text: [PDF\(76 KB\)](#) IEEE CNF
[Rights and Permissions](#)
30. **A software architecture for global address space communication on clusters: put/get on fast messages**
Giannini, L.A.; Chien, A.A.;
High Performance Distributed Computing, 1998. Proceedings. The Seventh International Symposium on
28-31 July 1998 Page(s):330 - 337
Digital Object Identifier 10.1109/HPDC.1998.710019

[AbstractPlus](#) | Full Text: [PDF\(76 KB\)](#) IEEE CNF
[Rights and Permissions](#)

31. **A multithreaded message-passing system for high performance distributed computing applications**
Park, S.-Y.; Lee, J.; Hariri, S.;
[Distributed Computing Systems, 1998. Proceedings. 18th International Conference on 26-29 May 1998](#) Page(s):258 - 265
Digital Object Identifier 10.1109/ICDCS.1998.679521
[AbstractPlus](#) | Full Text: [PDF\(160 KB\)](#) IEEE CNF
[Rights and Permissions](#)
32. **MPI-2: standards beyond the message-passing model**
Lusk, E.;
[Massively Parallel Programming Models, 1997. Proceedings. Third Working Conference on 12-14 Nov. 1997](#) Page(s):43 - 49
Digital Object Identifier 10.1109/MPPM.1997.715960
[AbstractPlus](#) | Full Text: [PDF\(588 KB\)](#) IEEE CNF
[Rights and Permissions](#)
33. **High Performance Messaging on Workstations: Illinois Fast Messages (FM) for Myrinet**
Pakin, S.; Lauria, M.; Chien, A.;
[Supercomputing, 1995. Proceedings of the IEEE/ACM SC95 Conference 1995](#) Page(s):55a - 55a
[AbstractPlus](#) | Full Text: [PDF\(248 KB\)](#) IEEE CNF
[Rights and Permissions](#)
34. **IEEE standard test methods for use in the evaluation of message communications between intelligent electronic devices in an integrated substation protection, control and data acquisition system**
[IEEE Std C37.115-2003](#)
2004
[AbstractPlus](#) | Full Text: [PDF\(7575 KB\)](#) IEEE STD

[1-25](#) | [26-34](#)

[Go to Google Home](#) [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Search](#) [Advanced Search](#)
[Preferences](#)

The "**AND**" operator is unnecessary -- we include all search terms by default: [\[details\]](#)

Web

Results 1 - 10 of about 153,000 for **federated and message and queue**. (0.30 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

WebSphere MQ message queues for the WebSphere Business Integration ...

The topology of the WebSphere **message queues** that transport information between the Siebel business applications and the **federated server** ...

publib.boulder.ibm.com/.../topic/com.ibm.websphere.

ii.foundation.conn.fw.wbi.doc/configuring/iijlswbimq.html - 7k - [Cached](#) - [Similar pages](#)

The WebSphere Business Integration wrapper

The WebSphere Business Integration adapter for the particular application reads the business object, which is the request, from the **message request queue**. ...

publib.boulder.ibm.com/infocenter/db2luw/v8/topic/com.ibm.db2.ii.doc/opt/clswbi08.htm - 10k - [Cached](#) - [Similar pages](#)

[[More results from publib.boulder.ibm.com](#)]

[PPT] Building Computational Communities from Federated Resources

File Format: Microsoft Powerpoint - [View as HTML](#)

Exploits clustering and Java **Message Queue**; Cross-deployable on other J2EE compliant servers. Apache Axis on Tomcat Server ...

www.lesc.ic.ac.uk/iceni/pdf/ahm2004_gridsam.ppt - [Similar pages](#)

[PDF] Microsoft PowerPoint - VGW.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Federated architectures provide each application ... **message** buffer: **queue** for event information, state variable for state information ...

www.cs.uri.edu/~cingiser/wpdrts05/presentations/roman_VGW.pdf - [Similar pages](#)

[PPT] Building Computational Communities from Federated Resources

File Format: Microsoft Powerpoint - [View as HTML](#)

Pool of threads taking jobs off the **queue** passing them to the DRMConnector.

JMSJobManager. Java **Message Queue** based job queuing. Allows DRMConnectors to be ...

www.nesc.ac.uk/events/ahm2004/presentations/285.ppt - [Similar pages](#)

MQUpdate

Sample dead-letter **queue** handler **message** flow ... **Federated** identity overview: identities without boundaries. CICS and WebSphere ...

www.xephon.com/journals/home/MQ - 63k - [Cached](#) - [Similar pages](#)

IBM Course description: Using Queue Replication - IBM Training ...

... asynchronous **queue message**-based transmission replication architecture. ... choose the appropriate DB2 product to set up a **federated** database ...

www.ibm.com/services/learning/ites.wss/us/en?

pageType=course_description&courseCode=DW241 - 49k - [Cached](#) - [Similar pages](#)

[PPT] FSG Developers Conference - 2006

File Format: Microsoft Powerpoint - [View as HTML](#)

Interoperability Technologies. Resource Tier*. Database. **Message. Queue ... Federated**. Identity. Pervasive. Workflow. Integrated User. Experience. Service ...

www.financialdevelopers.com/assets/fsdevcon06/Day%202.4a%20Interop%20(Rubino).ppt - [Similar pages](#)

jGuru: SwiftMQ FAQ Home Page